

APR 2 8 2021

DIVISION OF MINERALS

STATE OF NEVADA COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 | Fax (775) 684-7052 http://minerals.nv.gov

Date Received 5-6-2021
API Number <u>27-009-90090</u>
County ESMERAIDA
Permit Number /508 FOR DIVISION USE ONLY
FOR DIVISION USE ONLY

GEOTHERMAL RESOURCE DEVELOPMENT PERMIT APPLICATION

Name or Corpo	orate/Bus	iness Na	me							
Fish Lake Geo	thermal	LLC								
Street Address	ss 245 E. Liberty St. Suite 520									
City	Reno	Reno				State N	V	Zip Code	89501	
hereby make	s applic	ation for	r a ge	eothermal deve	lopment p	ermit, Stat	te of Nev	ada, Divis	ion of Minerals.	
(If applicant i	s a corp	oration,	shov	v state and date	e of incorp	oration; if	a partne	rship, list ı	names of partne	ers.)
On file with ND	OOM							T. 004 SA 43 1		
This applicati	ion is fo	ra		Domestic well		• Comr	nercial w	ell	☐ Industrial	weil
Othe	er, spec	ify:		Observation we	:II	Thern	nal Gradi	ent well	Re-entry	
Note: Re-en	itry inclu	ıdes wor	kove	r, deepening, o	r plugging	a back ope	rations.			
Applicant is:	Well I			Lease Hold 88-11A Fish Lake				Split Est		■ No
Location of V		Туре:		Federal (B	LM, USF	s, etc.)	Priv	ate	State	
•	<u>vell.</u> Street:	NI/A								
	City:	N/A				(County:	N/A		
	,									
Commercial a	nd Indu	strial:								
<u>s</u>				¼ of	, SE	_¼ in	Section	on <u>11</u>		r
To	ownship	0	1S			_, Range	35E			
U	TM Nor	thing 4	19090	00 N;	UTM Eas	sting <u>4076</u>	615	_E (NAD	983 Datum)	
C	ounty	Esmera	lda							
(If	(If applicable, give street address below.)									
St	treet:	N/A								
Ci	ity:	N/A								
St	tate:	N/A						Zip: N/A		

Operator's Name: Fish Lake Geothermal LLC Address: 245 E. Liberty St. Suite 520							
City, St Zip: Reno, NV 89501							
•							
Drilling Contractor's Name: Steam Reserve Corporation Address: 1707 Cole Boulevard							
City, St Zip: Golden, Colorado 80401							
City, St Zip: Golden, Colorado 80401							
Rotary Rig Description: Information unknown, not documented in drilling reports							
Hole Size: 36" Casing Size: 13 3/8" Weight/Gauge: 48-lb/K-55							
Estimated Well Head Temperature: 200°F							
Size of BOP: 2000 psi ■ 3000 psi 5000 psi							
Planned Use of Geothermal Resource:							
Geothermal Power Plant- Electrical Power Generation							
Planned Disposal of Spent Geothermal Fluid:							
Returned to geothermal reservoir							
Type and Amount of Bond: Statewide Surety Bond							
(Exempt for Domestic Class)							
Bond Issued by: Lexon Surety Group Serial No. 1151513							
The Source of the Proposed Geothermal Resource is:							
Hosted along a steeply dipping fault system in Precambrian/Paleozoic sedimentary and metasedimentary basement.							
(List name of hot spring, geologic formation(s) or other source.)							
Total Depth to be Drilled: 8,589							
Drilling will Commence On or Before: Well drilled from 11/10/1984 - 01/02/1985 and never permitted with NDOM							
Signature of Applicant/Agent:							
Date: 04/28/2021							

Please attach a detailed drilling program including the following information:

1. Well design schematic; casing and mud programs; potential water supply; drilling rig to be used and pad layout; blow out prevention equipment diagram and testing program; directional drilling information if applicable; map of location and access roads. Additional information may be required upon review.

2. The required fee per NAC 534A 210 or 534A.212.

CONDITIONS OF PERMIT

- All permittees must comply with appropriate sections of the Geothermal Rules and Regulations of the Division of Minerals and with applicable rules and regulations of other local, state, and federal agencies.
- 2. During the drilling of domestic geothermal wells, all water strata above the geothermal horizon being used must be sealed or separated in order to prevent their contents from passing into other strata.
- 3. All fresh water and water of value or possible value for other beneficial uses must be confined to their respective strata and be adequately protected by methods approved by the Division. Precautions must be taken in drilling and abandoning wells to guard against any loss of fresh water from the strata in which it occurs, and the contamination of any fresh water by objectionable water.
- 4. The operator of any well must shut off and exclude all water from any geothermal resource-bearing stratum to the satisfaction of the Division.
- 5. See attached Conditions of Approval.

6.	Please send daily drilling reports to:	Lowell Price <u>lprice@minerals.nv.qov</u>
		and
		Valerie Kneefelvkneefel@minerals.nv.gov

7. Additional Conditions/Comments

C.	· · · · · · · · · · · · · · · · · · ·
B.	
Α.	

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies.

PERMIT APPROVAL

Approved 6/14/2021 with the conditions noted above.

Administrator Division of Minerals

CalEnergy Operating Corporation

Fish Lake

88-1A Exploration Well

Well Profile

Date: 11/08/2006

