

STATE OF NEVADA COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 | Fax (775) 684-7052 http://minerals.nv.gov

Date Received 1/15/2025
County Mineral
NDOM Permit Number W0038
FOR DIVISION USE ONLY

DISSOLVED MINERAL RESOURCE EXPLORATION WELL PERMIT APPLICATION

Applicant/Operator Name: Ormat Minera				
Street Address: <u>6884 Sierra Center Pkwy</u> City: <u>Reno</u>	State/Prov.:NV			
Country: USA Zip Code: 89511		_		
hereby makes application for a dissolve		ermit.		
(if applicant is a corporation, show state	e and date of incorporation: if a partne	ership, list names of partners.)		
Ormat Mineral LLC is a subsidiary of Orma		, , , , , , , , , , , , , , , , , , , ,		
offinat Minioral ELO IS a Substitutity of Offina	THEVEGUE INC			
Well Name 26(36)-18				
<u> </u>	/all	Iall Campanian		
This application New Exploration Wis for a: Permit Extension (I		hole to Well Conversion) (Indicate below any changes to original permit)		
Permit Extension		elow arry changes to original permit)		
Applicant is:	⊙ Lease/Claim Holder			
Land Status (choose one):				
Federal (BLM, USFS, etc)				
Mining Claim: NMC# NV10638460	00			
Project Name: Excelsior Dissolved M		NVN# NVNV105377426		
Non Federal	meral resource Exploration 1 Toject	144144 103377420		
APN#:	Land Owner:			
Bond Type:				
Amount:	Number:			
				
Groundwater Basin Name and Number	r	Area With Limitations?		
NA		☑ Y		
(Well proposed to be drilled within areas with limitatio	ns may require Blowout Prevention Equipment, per	NAC 534B)		
Location of Well:				
County: Mineral				
, <u> </u>				
N/A $\frac{1}{4}$ of the N/A $\frac{1}{4}$ of	18 Sec., Township 05	N S, Range 36 E		
UTM East: 409931	or Longitude:			
UTM North: 4238247	Latitude:			
	GS84 <i>M.D.B.</i> & <i>M</i> .			

Drilling Contractor (if kno	wn): <u>Major Drillin</u>	g					
	Address: 220	0 S 4000 W					
City	, State Zip: Salt	Lake City, UT 84120					
_							
Purpose of Well:	Dissolved mineral resource exploration						
Drill Rig Type:	Rig Type: LF230 Track Mounted Coring Rid with Substructure						
Surface Hole Diameter:	9.875"		Casing Size/Length:		7" / 80', 4.5" / 600', 2.0635" / 4000'		
Expected Total Depth:	4000' MD / 3939.	2' TVD Casing We	Casing Weight/Gauge:	23# / 11.6# / 3.25#			
		Casing Sch	nedule/Grade	K-55 / L-80 / K-5	55		
Blowout Prevention Equi		None O	2000 psi n g - see Secti	3000 psi on 12 of the Ex	5000 psi		
Fluid Management Plan -	- NAC 534B.140(1)(C):					
See Section 6 of the Explora	ation Notice						
222 Section 6 of the Explore							
(Describe Here or Attach Additional	al Pages)						
•	,						
Contamination Preventio	n/Cementing Pla	n - NAC 534B.140(1)(D):				
See Section 7 of the Explora	ation Notice						
(Describe Here or Attach Additional	al Pages. must include	Well Schematic)					
(,					
Flow Monitoring and Plug	gging Plan - NAC	534B.140(1)(E) / NA	AC 534B.180:				
See Section 8 of the Explora	ation Notice						
·							
(Describe Here or Attach Additional	al Pages)						
Drilling will commence ap	proximately on:	Q3-Q4 of 2025					
	Sign	ature of Applicant/Aç	Shelby	/ Williams wil	itally signed by Shelby iams e: 2025.01.15 15:14:41 -08'00'		
		Printed Name/	Title: Shelby V	Villiams, Env.Perr	nitting Specialist		
		[ate: January	15, 2025			
		An application submit	ed without a signal	ure and date will not b	ne considered for approval.		

---- Attach \$1,000.00 Application Fee Per NAC 534B ----

---- TO BE COMPLETED BY DIVISION ----

CONDITIONS OF PERMIT

- 1. All permittees must comply with appropriate sections of the Dissolved Mineral Resource Regulations of the Division of Minerals and with applicable rules and regulations of state and federal agencies.
- 2. For a well located on non-federal land, a bond in an amount determined by the Division to be necessary to properly plug the well in accordance with NAC 534B must be included.

Division of Minerals

04/10/2025 with the conditions noted above.

Date

Permit Number W0038

Administrator