For NDOM Use Only	COMMISSION ON MINERAL RESOURCES DIVISION OF MINERALS 400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 Fax (775) 684-7052	Date Received	3/10/2025
Entered in Database		API #	27-021-90087
By: Date:		County Permit Number	
		FOR DIVISI	ON USE ONLY

GEOTHERMAL RESOURCE DEVELOPMENT PERMIT APPLICATION

Name or Corpor	ate/Business Name Ormat Nevada	a, Inc.	
Nevada SOS Bu	usiness ID NumberNV199210161	42	
Street Address	6884 Sierra Center Parkway		
City	Reno	State NV Zip Co	ode 89511
hereby makes ap	plication for a geothermal develop	ment permit, State of Nevada, Div	vision of Minerals.
(If applicant is a c	corporation, show state and date o	f incorporation; if a partnership, lis	st names of partners.)
This application is	s for a 🛛 Domestic well	Commercial well	Industrial well
Other, sp	Decify: • Observation well	Thermal Gradient well	Re-entry
Note: Re-entry in	ncludes workover, deepening, or p	olugging back operations.	
	Land Owner Lease Holde Vell Name: 78(88)-12	er	
L	.ease Name/No: <u>NVNV106320614</u>	Split	Estate? 🗌 Yes 🔳 No
L	and Type: 📃 Federal (BLI	M, USFS, etc.) 🛛 🔲 Private	State
Location of Well:			
	eet:		
City		Country	
Commercial and Ir		05	
SE	¼ of,		,
Towns	ship <u>5 North</u>	, Range <u>35 East</u>	,
SHL U	JTM Northing <u>4239456</u> N;	UTM Easting 409455	E (NAD83 Datum)
BHL L	JTM Northing 4239457 N;	UTM Easting 409667	E (NAD83 Datum)
Count	y Mineral County		
(If app	licable, give street address below	.)	
Street	:		
City:			
State:		Zip:	

Operator's Name: Ormat Nevada, Inc.					
Address: 6884 Sierra Center Parkway					
City, St Zip: Reno, NV 89511					
Drilling Contractor's Name: Major Drilling					
Address: 2200 4000 W					
City, St Zip: Salt Lake City, UT 84120					
Rotary Rig Description:					
Hole Size: 9.875 inches Casing Size: 4.5 inches Weight/Gauge: 11.6#/L80					
Estimated Well Head Temperature: <a><212F					
Size of BOP: 2000 psi 3000 psi 5000 psi 1000 PSI See Attached Drilling Program					
Geothermal electrical energy production.					
Planned Disposal of Spent Geothermal Fluid:					
A drill sump will be constructed to collect cuttings, contain, and recycle the drilling fluids. Spent geothermal fluid will be injected back into the reservoir.					
Type and Amount of Bond: Statewide Federal Bond for \$1,015,312					
(Exempt for Domestic Class)					
Bond Issued by: <u>Travelers Casualty and Surety Company of America</u> Serial No. <u>107521294</u>					
Geothermal Project Area (if applicable) Excelsior Project					
The Source of the Proposed Geothermal Resource is:					
Excelsior Geothermal Resource					
(List name of hot spring, geologic formation(s) or other source.)					
Total Depth to be drilled: 4,000 feet					
Drilling will commence on or before: Q3-Q4 2025					
Signature of Applicant/Agent: Date: 2025.03.10 09:03:17 -07'00'					
Date: March 10, 2025					

Please attach a detailed drilling program including the following information:

- 1. Well design schematic; casing and mud programs; potential water supply; drilling rig to be used and pad layout; blow out prevention equipment diagram and testing program; directional drilling information if applicable; map of location and access roads. Additional information may be required upon review.
- 2. The required fee per NAC 534A 210 or 534A.212.

CONDITIONS OF PERMIT

- 1. All permittees must comply with appropriate sections of the Geothermal Rules and Regulations of the Division of Minerals and with applicable rules and regulations of other local, state, and federal agencies.
- 2. During the drilling of domestic geothermal wells, all water strata above the geothermal horizon being used must be sealed or separated in order to prevent their contents from passing into other strata.
- 3. All fresh water and water of value or possible value for other beneficial uses must be confined to their respective strata and be adequately protected by methods approved by the Division. Precautions must be taken in drilling and abandoning wells to guard against any loss of fresh water from the strata in which it occurs, and the contamination of any fresh water by objectionable water.
- 4. The operator of any well must shut off and exclude all water from any geothermal resource-bearing stratum to the satisfaction of the Division.
- 5. See attached Conditions of Approval.
- 6. Please send daily drilling reports to : Dustin Holcomb <u>dholcomb@minerals.nv.gov</u> and Crystal Cruson fluids@minerals.nv.gov
- 7. Additional Conditions/Comments

Α.	Administrator waiver granted for use of non-API BOPE
В.	Sump to be fenced on three sides
C.	Project Area #1647

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies.

		PERMIT APPROVAL		
Approved _	5/13/2025	with the conditions noted above.		
	Date			
Permit Num	ber 1642			

Administrator Division of Minerals